MAY 0 8 2007

PTO/SB/21 (09-06)
Approved for use through 03/31/2007. OMB 0851-0031
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Pap	er Reduction Act of 1995, n	persons					splays a valid OMB control number.			
			Application Number	10/63	10/634,964					
TRANSMITTAL			Filing Date	Aug 5	Aug 5, 2003					
FORM			First Named Inventor	Liu, Zhendong						
		Art Unit	1765							
(to be used for all correspondence after initial filing)			Examiner Name	Patricla A. George						
Total Number of Pages in This Submission 13			Attorney Docket Number	02039US						
ENCLOSURES (Check all that apply)										
X Fee Trans	smittal Form		Drawing(s)	ат аррі	"	After A	Ifowance communication to (TC)			
Fee Attached			Licensing-related Papers				. Communication to Board of			
	ent / Reply		Petition			Appea	s and Interferences al Communication to TC			
After Final		Petition to Convert to a				al Natice, Brief, Reply Brief) etary information				
			Provisional Application Power of Attorney, Revocation			·	Letter			
Affidavits/declaration(s)			Power of Attorney, Revocation Change of Correspondence Address							
Extension of Time Request		╽╚	Terminal Disdalmer		$ \sqcup$	below)	Enclosure(s) (please identify :			
Express Abandonment Request Request for Refund										
Information Disclosure Statement			CD, Number of CD(s)							
Certified Copy of Priority			Landscape Table on CD							
Document	(s)	Rem	arks				······································			
	lissing Paris/ Application									
Reply to Missing Parts under										
37 CF	FR 1.52 or 1.53									
	SIGN	ATURE	OF APPLICANT, ATTORN	EY, O	R AGEN	IT.				
Firm Name	Rohm and Haas Electr		erials CMP Holdings, Inc.							
Signature 784 1 16										
Printed name	Blake T. Biederman					T				
Date	May 8, 2007		•	R	leg. No.	34,124				
	. (CERTIFI	ICATE OF TRANSMISSION	I/MAIL	ING					
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.										
Signature Butan Q. Willey										
Typed or printed na	me Barbara A. Wiley	7			Date	May 8, 2007				

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Petent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

In you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

ROHM AND HAAS EM CMCENTRAL FAX CENTER 02/13

MAY 0 8 2007

PTO/SB/17 (07-06)
Approved for use through 01/31/2007, OMB 0851-0032

Under the Paper	Work Reduction	Act of 199	5, no persons ere required t	respond to a collection	n of information	unless it displays a valid OMB control number				
	2/08/2004		Complete if Known							
		5 Act, 2005 (H.A. 4818).	Application Nur	nber 10/	/634,964					
FEET	RAN	SM	ITTAL	Filing Date	8/5	/2003				
				First Named Inv	entor Liu					
	or FY			Examiner Name	Par	tricia A. George				
Applicant Claims		tatus. Se	9 37 CFR 1.27	Art Unit	178	65				
TOTAL AMOUNT OF PAY	MENT	(\$) 500	.00	Attorney Docket	No. 020	200S				
METHOD OF PAYME	VT (check al	that appl	y)							
Check Credit Card Money Order None Other (please identify):										
X Doposit Account Deposit Account Number 500618 Deposit Account Name: Rohm and Heas Electronic Materials CMP										
For the above-identified deposit account, the Director is hereby authorized to: (check all that apply) X Charge fee(s) indicated below Charges fee(s) indicated below. except for the filling fee										
X Charge any additional fee(s) or underpayments of fee(s)										
under 37 CFR 1.16 and 1.17 WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and suthorization on PTO-2038.										
FEE CALCULATION										
1. BASIC FILING, SEA	RCH, AND I	EXAMINA	TION FEES	"INC ""IL-						
	FILING !	EE\$	SEARCH FE	ES EXA	MINATION F	FEES				
Application Type		mail Entit			Small En					
Utility	Fee (\$) · 300	<u>Fee (\$)</u> 1.50	Fee (S) Fee (S							
Design					200 10					
Plant	200	100			130 6:					
	200	100			160 80	0				
Reissue	300	150	500 2	50	500 300	0				
Provisional	200	100	0	0 .	0 (\$ 0.00				
2. EXCESS CLAIM FEE	S					Small Entity				
Fee Description	andina Datas			į		Fee (\$) Fee (\$)				
Each claim over 20 (incl	uning Keiss	ues)				50 25				
Each independent claim	Over 3 (Incli	Jang Kei	ssues)			200 100				
Multiple dependent clair Total Claims	ns Extra Claims		F m	-1-1 (4)		360 180				
-20 or HP=	O O	•	<u>Fee (\$)</u> \$50.00 ⇒		Multipl	e Dependent Claims				
HP = highest number of total cial		X Sater than 20	<u>\$50.00</u> ⇒	<u> 0.00</u>	· · · · · · · · · · · · · · · · · · ·	e (\$) <u>Fee Paid (\$)</u>				
Indep. Claims	Extra Claims		Fee (\$) Fee Pa	old (#)		360.00				
-3 or HP =	0	x	\$200.00 =	\$ 0.00						
HP = highest number of indepen	dent claims paid	for, if greater	than 3.	0.00						
3. APPLICATION SIZE		•								
If the specification and	l drawings e	xceed 100	sheets of paper (excl	uding electronical	v filed seque	ence or computer listings under 37				
CFR 132(e)), the a	opiication st	cc ice due	is \$250 (\$125 for sm	all entity) for each	additional 50	O sheets or fraction thereof. See 35				
U.S.C. 41 (a)(1)(G)	and 37 CFF	1.16(s).	•	37		o annota or machon diction. Bee 35				
<u>Total Sheets</u>	Extra She		Number of each add	tional 50 or fraction	theren#	Fee (\$) Fee Paid (\$)				
100 =		/50		nd up to a whole nur						
4. OTHER FEE(S) 4. OTHER FEE(S) Count up to a written number) X \$250.00 = \$0.00 Eees Paid(\$)										
Non-English Specification, \$130 fee (no small entity discount)										
Other: (e.g., late filing surcharge): Appeal Brief \$500.00										
SUBMITTED BY		_								
Signature 43	1100	K ~.	Registration			Telephone 302-283-2136				
Name (Print/Type) Blake	T. Biederm	an	(Attorney/A	gent)		Date 2/1 - 81 2/407				

This collection of Information is required by 37 CFR 1.13s. The Information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including galhering, preparing, and submitting the completed application form to the USPTO. Time will very depending upon the Individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Patricia Ann George

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Liu

Application No.:

10/634,964

3022832144

Filed: 1/23/2003

Title: COMPOSITION FOR REDUCING EROSION

IN SEMICONDUCTOR WAFERS

Attorney Docket No.: 02039US

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Art Unit:

Examiner:

1765

APPEAL BRIEF

Applicant respectfully appeals the rejection dated February 5, 2007 and advisory action dated March 26, 2007.

(1) REAL PARTY IN INTEREST

The real party in interest in this appeal is Rohm and Haas Electronic Materials CMP Holdings, Inc.

(2) RELATED APPEALS AND INTERFERENCES

There is no related appeal or interference.

(3) STATUS OF CLAIMS

Claims 1, 2 and 4 to 6 – Rejected and Appealed.

Claims 3 and 7 – Cancelled.

Claims 8 to 10 – Withdrawn.

05/09/2007 TL0111 00000046 500618

10634964

01 FC:1402 500.00 DA

(4) STATUS OF AMENDMENTS

Claim 5 amendment after final rejection denied.

RECEIVED CENTRAL FAX CENTER MAY 0 8 2007

(5) SUMMARY OF THE CLAIMED SUBJECT MATTER

Claim 1

Claim 1 covers an aqueous chemical mechanical planarizing composition (Para. 12, lines 1 and 2). The composition comprises an oxidizer for promoting barrier removal (Para 26, lines 1 and 2); an abrasive (Para 21, lines 1 and 2); an inhibitor for decreasing removal of a metal interconnect (Para 27, lines 8 to 10); and water soluble polymaleic acid (Para. 19, lines 1 and 2). The chemical mechanical planarizing composition has a pH of less than 4 (Para. 30, line 1) adjusted with an inorganic pH adjusting agent, the inorganic pH adjusting agent being an acid (Para. 29, lines 1 and 2). And the composition has a tantalum nitride removal rate of at least eighty percent of copper removal rate at a pad pressure of 13.8 kPa (Para. 34, lines 1 to 4).

Claim 5

Claim 5 covers an aqueous chemical mechanical planarizing composition (Para. 12, lines 1 and 2). The composition comprises 0.05 to 15 wt% abrasive (Para. 22, line 1); 0.1 to 10 wt% oxidizing agent (Para. 26, lines 9 and 10); 0.0025 to 2 wt% of benzotriazole (Para. 28, lines 3 and 6 to 8); and 0.01 to 5 wt% of water soluble polymaleic acid (Para. 17, lines 1 and 2 and Para. 19, lines 1 and 2. The pH of the composition is less than 4 (Para. 30, line 1) adjusted with an inorganic pH adjusting agent (Para. 29, lines 1 and 2), the inorganic pH adjusting agent including an acid selected from nitric acid, sulfuric acid, hydrochloric acid and phosphoric acid (Para. 29, lines 2 to 4). And the composition has a tantalum nitride removal rate of at least ninety[eighty] percent of copper removal rate at a pad pressure of 13.8 kPa (Para. 34, lines 1 to 4).

(6) GROUNDS OF REJECTIONS TO BE REVIEWED ON APPEAL

1. Claims 1, 2 and 4 to 6 stand rejected under 35 U.S.C. §103 (a) over Sun et al. (US Pat. No. 6,709,316) in view of Sherber et al. (US Pat. No. 5,858,813) as evidenced by Changzhou Keji Chemical Co. (Product Detail Poly (Maleic Acid)) and Wikipedia, Maleic Acid.

(7) ARGUMENT

I. Rejection of claims 1, 2 and 4 to 6 over Sun et al. in view of Sherber et al. as evidenced by Changzhou Keji Chemical Co. (Product Detail Poly (Maleic Acid.)) and Wikipedia, Maleic Acid.

The combined references fail to establish a prima facie case of obviousness. In re

Oetiker, 977 F. 2d 1443, 1445, 24 USPQ2d 1443, 1444 (Fed. Cir. 1992). Applicant has
discovered that polymaleic acid in combination with inorganic acid, low pH, an inhibitor and
abrasive particles improves dielectric erosion when polishing barrier layers of patterned wafers.

The rejection relies upon selecting properties from three distinct slurries within a single
reference. In particular, Sun et al. disclose three distinct slurries for different polishing
applications as follows:

- 1) Bulk copper slurry—Col. 7, lines 9 to 12 (abrasive), Col. 6, lines 57 to 59 (oxidizer), Col. 6, lines 59 to 65 (benzotriazole inhibitor), Col. 6, line 66, Col. 7, lines 1 to 3 and Col. 7, lines 3 to 4 of Sun et al. (inorganic and/or organic acids—phosporic acid).
- 2) First copper CMP slutry-Col. 7, line 59 of Sun et al. (phosphoric/nitric acid).
- 3) Barrier slurry selectivity for tantalum—Col. 3, lines 32 to 34 of Sun et al. (barrier selectivity).

A critical step in analyzing the patentability of claims pursuant to section 103(a) is casting the mind back to the time of invention, to consider the thinking of one of ordinary skill in the art, guided only by the prior art references and the then-accepted wisdom in the field, In re Kotzab, 217 F.3d 1365, 1370, 55 USPQ2d 1313, 1316 (Fed. Cir. 2000). As noted in the attached 132 Declaration of Dr. Liu, a skilled slurry design scientist would not expect or attempt to use a first-step copper slurry for second-step polishing that requires high removal rates of barrier materials, such as tantalum nitride. Thus, the selective combining of several distinct slurries with non-analogous polymer art fails to establish a prima facia case of obviousness.

It is well established that a compound and its properties are inseparable. <u>In re Papesch</u>, 315 F.2d 381, 137 USPQ2d 43 (CCPA 1963). Part of evaluating the invention as a whole includes considering functional language. <u>In re Caldwell</u>, 319 F.2d 254, 138 USPQ 243 (CCPA

1963) recognizes the propriety of defining an invention by what it does. In summary, the combined references fail to recognize using polymaleic acid in combination with inorganic acid, low pH, an inhibitor and abrasive particles to provide an effective barrier removal slurry that achieves a tantalum nitride removal rate of at least eighty percent of copper removal rate at a pad pressure of 13.8 kPa.

In addition, the combined references teach away from the claimed invention. It is well accepted that proceeding contrary to conventional wisdom represents strong evidence of unobviousness. In re Hedges, 783 F.2d 1038, 228 USPQ 685, 687 (Fed. Cir. 1986). Specifically, the Sun et al. and Scherber et al. patents teach away from the claimed invention as follows:

- The rejection refers to bulk copper slurry—Col. 7, lines 9 to 12 (abrasive), Col. 6, lines 57 to 59 (oxidizer), Col. 6, lines 59 to 65 (benzotriazole inhibitor), Col. 6, line 66, Col. 7, lines 1 to 3 and Col. 7, lines 3 to 4 of Sun et al. (inorganic and/or organic acids—phosporic acid). Since bulk copper slurrics tend to remove copper as fast as possible with minimal barrier removal it teaches away from the claimed barrier removal slurry that achieves a tantalum nitride removal rate of at least eighty percent of copper removal rate at a pad pressure of 13.8 kPa. Furthermore, "a skilled slurry design scientist would not expect or attempt to use a first-step copper slurry for second-step polishing that requires high removal rates of of barrier materials, such as tantalum nitride—paragraph 6 of the 132 Declaration of Dr. Liu.
- 2) Sun et al. teach a preffered pH range of 8 to 12 for its selective barrier removal step—see Col. 9, lines 54 to 65. This teaches away from the claimed pH range of less than 4.
- The Examples of Scherber et al. teach a slurry that selectively removes aluminum (interconnect) in view of a titanium (barrier). These Examples are the opposite and teach away of the claimed barrier removal slurry that achieves a tantalum nitride (barrier) removal rate of at least eighty percent of copper (interconnect) removal rate at a pad pressure of 13.8 kPa.

The action combines the copper bulk copper and copper barrier slurries with the genus "maleic acid derivatives" from the Markush group at Col. 5, lines 43 to 58 of the Scherber et al. aluminum slurry. "The fact that a claimed species or subspecies is encompassed by a prior art genus is not sufficient by itself to establish a prima facie case of obviousness." In re Baird, 16 F.3d 380, 382, 29 USPQ2d 1550, 1552. Furthermore, the fact that a claimed compound may be

encompassed by a generic formula does not by itself render that compound obvious. <u>In re Jones</u>, 958 F.2d 347, 350, 21 USPQ2d 1941, 1943 (Fed Cir. 1992)." Scherber et al. disclose maleic acid derivatives, but they do not disclose or suggest the use of a polymaleic acid polymer.

In addition, the action applies an inappropriate "obvious to try" standard that represents an insufficient basis to form a prima facie case of obviousness. In moving from the prior art to the claimed invention, one cannot base a determination of obviousness on what the skilled person might try or find obvious to try. Both the suggestion and the expectation of success must be found in the prior art. In re Dow Chemical Co., 837 F.2d 469, 473, 5 USPQ2d 1529, 1531 (Fed. Cir. 1987). Sun et al. disclose slurries designed for bulk copper, first copper and a selective barrier slurry and Scherber et al. disclose an aluminum polishing slurry—see Examples. In agreement with the 132 Declaration of Dr. Liu, it would not be obvious for a skilled scientist in the area of slurry development to selectively pick and choose features from four distinct slurries to form a barrier slurry. Furthermore, Sun et al. in combination with Scherber et al. do not suggest attempting polishing tantalum barriers with polymaleic acid in combination with inorganic acid, low pH, an inhibitor and abrasive particles to provide an effective barrier removal slurry that achieves reduced dielectric erosion in combination with the claimed tantalum nitride removal rate of at least eighty percent of copper removal rate at a pad pressure of 13.8 kPa.

Respectfully submitted,

Blake T. Biederman Attorney for Applicants Registration No. 34,124

Telephone No.: (302) 283-2136

Rohm and Haas Electronic Materials CMP Holdings, Inc. 451 Bellevue Road Newark, DE 19713

MAY 0 8 2007

CLAIMS APPENDIX

- 1. An aqueous chemical mechanical planarizing composition comprising:
 - an oxidizer for promoting barrier removal;

3022832144

- an abrasive;
- an inhibitor for decreasing removal of a metal interconnect; and
- water soluble polymaleic acid and wherein the chemical mechanical planarizing composition has a pH of less than 4 adjusted with an inorganic pH adjusting agent, the inorganic pH adjusting agent being an acid; and a tantalum nitride removal rate of at least eighty percent of copper removal rate at a pad pressure of 13.8 kPa.
- 2. The composition of Claim 1, wherein the polymaleic acid comprises a homopolymer or a copolymer.
- 3. Cancelled.
- 4. The composition of Claim 1, having a pH of 1.5 to less than 4.
- 5. An aqueous chemical mechanical planarizing composition comprising:
 - 0.05 to 15 wt% abrasive;
 - 0.1 to 10 wt% oxidizing agent;
 - 0.0025 to 2 wt% of benzotriazole; and
- 0.01 to 5 wt% of water soluble polymaleic acid, and wherein the pH of the chemical mechanical planarizing composition is less than 4 adjusted with an inorganic pH adjusting agent, the inorganic pH adjusting agent including an acid selected from nitric acid, sulfuric acid, hydrochloric acid and phosphoric acid; and a tantalum nitride removal rate of at least ninety-eighty percent of copper removal rate at a pad pressure of 13.8 kPa.
- 6. The composition of Claim 5, wherein the polymaleic acid comprises a homopolymer or a copolymer.

EVIDENCE APPENDIX

Attached please find a copy of the 1.132 Declaration of Dr. Zhendong Liu.

RECEIVED CENTRAL FAX CENTER

MAY 0 8 2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Liu et al.

Application No.: 10/634,964

Filed: 2/27/2003

Mad. 2/2//2005

Title: CHEMICAL MECHANICAL PLANARIZATION COMPOSITIONS FOR

REDUCING EROSION IN SEMICONDUCTOR WAFERS

Attorney Docket No.: 02039US

Commissioner for Patents P.O. Box 1450

Alexaudria, VA 22313-1450

1765

Art Unit:

Examiner:

Patricia Ann George

DECLARATION UNDER 37 C.F.R. § 1.132

That I Zhendong Liu declare the following:

- 1) That I am a current employee of Rohm and Haas Electronic Materials CMP Inc. (fka Rodel, Inc.); and that I have been employed at Rohm and Haas Electronic Materials for over four years in the role of a research chemist.
 - 2) That my professional qualifications include the following:

Ph.D. University of California, Berkeley, 2001

Major: Hydrometallurgy

Minors: Chemistry and Environmental Engineering

Block Grant Fellowship, 1997-1998 Jane Lewis Fellowship, 1998-2001

- M.S. Beijing Graduate School, China University of Mining and Technology, 1997 Major: Mineral Processing Engineering
- B.S. Huainan Mining Institute, 1994
 Major: Mineral Processing Engineering

- 3) That I co-authored the following articles related to Chemical Mechanical Polishing:
- Z. Liu et al., "Electrochemical Testing of Tantalum and Copper in Chemical Mechanical Polishing Slurries", ECS Fall Meeting, Los Angles, October 2005.
- Z. Liu et al., "Copper Removal Rate Control in Chemical Mechanical Polishing of Barrier Materials, CMP-MIC, February 2005.
- Z. Liu et al., "Copper CMP Barrier Slurries for Ultra-low k Applications", CMP-MIC, February 2004.
- Z. Liu et al., "Development of Novel Barrier Shurries for Ultra-low k Applications", CAMP Annual Meeting, August 2003.
- 4) That I have reviewed US Pat. Appln. No. 10/634,964 ('964), filed August 5, 2003; the USPTO action mailed November 18, 2005; and Sun et al. (US Pat. No. 6,709, 316) and Yano et al. (US Pat. No. 6,375,545).
- 5) That Sun et al. at Col. 6, line 33 to Col. 8, line 39 disclose a first-step copper slurry designed for removing copper from semiconductor substrates. First-step copper slurries typically remove copper at a rate of 2,000 to 10,000 Å/min. Furthermore, these slurries ideally have a zero removal rate for barrier materials, such as tantalum and tantalum nitride.
- 6) That a skilled slurry design scientist would not expect or attempt to use a firststep copper slurry for second-step polishing that requires high removal rates of barrier materials, such as tantalum nitride.
- 7) That Sun et al. at Col. 8, line 40 to Col. 9, line 65 disclose a barrier removal slurry that operates at a pH of about 4 to 12 and preferably at a pH of about 8 to 12.
- 8) That Yano et al. disclose at Col. 9, lines 20 to 29 the use of polymeric particles and at Col. 3, lines 8 to 29, the use of surfactant-coated polymeric particles. Yano et al. do not disclose the addition of water soluble carboxylic acid polymers to a slurry having a pH less than 4 with the pH adjusted with an inorganic acid and the slurry being useful for tantalum nitride removal.

- 9) That as illustrated by Examples 1 to 4 and Figures 1 to 3 of the pending application, Applicants have discovered that the addition of water soluble carboxylic acid polymers to a barrier slurry having a pH less than 4 with the pH adjusted with an inorganic acid can improve dielectric erosion when polishing patterned wafers.
- That in my opinion, the combined Sun et al. and Yano et al. references do not disclose or suggest the addition of water soluble carboxylic acid polymers to a barrier slurry having a pH less than 4 with the pH adjusted with an inorganic acid.
- That I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Dr. Zhendong Liu February 10, 2006 RELATED PROCEEDINGS APPENDIX

PAGE 13/13

None.